

TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD
 ZERTIFIKAT ◆ CERTIFICATE ◆ 認證書 ◆ CERTIFICADO ◆ CERTIFIKAT ◆ CERTIFICADO ◆ CERTIFICAT



Product Service

CERTIFICATE

No. Z2 099333 0052 Rev. 02

Holder of Certificate: **LONGi Green Energy Technology Co., Ltd.**

No. 388, Middle Hangtian Road
 Chang'an District
 710100 Xi'an City, Shaanxi
 PEOPLE'S REPUBLIC OF CHINA

Certification Mark:



Product:

Crystalline Silicon Terrestrial Photovoltaic (PV) Modules
Mono-Crystalline Silicon Photovoltaic Module

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition the certification holder must not transfer the certificate to third parties. See also notes overleaf.

Test report no.: 704061513510-10

Valid until: 2024-07-09

Date, 2019-07-11 (Zhulin Zhang)





Product Service

CERTIFICATE

No. Z2 099333 0052 Rev. 02

Model(s):

LR6-72-xxxM, (xxx=320 to 350 in step of 5)
 LR6-72BK-xxxM, (xxx=320 to 350 in step of 5)
 LR6-60-xxxM, (xxx=270 to 300 in step of 5)
 LR6-60BK-xxxM, (xxx=270 to 300 in step of 5)
 LR6-72ST-xxxM, (xxx=300 to 380 in step of 5)
 LR6-60ST-xxxM, (xxx=250 to 320 in step of 5)
 LR6-72PE-xxxM, (xxx=340 to 380 in step of 5)
 LR6-60PE-xxxM, (xxx=280 to 320 in step of 5)
 LR6-72PB-xxxM, (xxx=340 to 380 in step of 5)
 LR6-60PB-xxxM, (xxx=280 to 320 in step of 5)
 LR6-72HC-xxxM, (xxx=335 to 385 in step of 5)
 LR6-60HC-xxxM, (xxx=280 to 320 in step of 5)
 LR6-72MP-xxxM, (xxx=340 to 380 in step of 5)
 LR6-60MP-xxxM, (xxx=280 to 320 in step of 5)
 LR6-72OP-xxxM, (xxx=370 to 420 in step of 5)
 LR6-60OP-xxxM, (xxx=310 to 350 in step of 5)
 LR6-72HP-xxxM, (xxx=350 to 405 in step of 5)
 LR6-60HP-xxxM, (xxx=295 to 335 in step of 5)
 LR6-72HPB-xxxM, (xxx=350 to 405 in step of 5)
 LR6-60HPB-xxxM, (xxx=295 to 335 in step of 5)
 LR4-72HPB-xxxM, (xxx=405 to 435 in step of 5)
 LR4-60HPB-xxxM, (xxx=335 to 360 in step of 5)
 xxx is standing for rated output power at STC.

Parameters:

Fire Safety Class:	Class C
Application Class:	Class A
Max. System Voltage:	1000V DC
Test Laboratory:	Yangzhou Opto-Electrical Products Testing Institute. No.10 West Kaifa Road, Yangzhou, 225009 Jiangsu, P.R.China.
Construction:	Framed, with Junction box, cable and connector.

Tested according to:

IEC 61215(ed.2)
 IEC 61730-2(ed.1);am1
 EN 61730-2:2007/A1:2012
 IEC 61730-1(ed.1);am1;am2
 EN 61730-1:2007/A11:2014

Production Facility(ies):

099626, 099606, 001192, 002875, 096558, 099605, 090968,
 102892, 097323, 103410, 103841

TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD
 ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ CERTIFICADO ◆ CERTIFICADO ◆ CERTIFICADO